

MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A





AD A 137864

National Defence Défense nationale



# MOISTURE IN ARCTIC SLEEPING BAGS

by

R.J. Osczevski



ME FILE COPY

DEFENCE RESEARCH ESTABLISHMENT OTTAWA
TECHNICAL NOTE 82-34

DISTRIBUTION STATEMENT A

Approved for public releases
Distribution Unlimited

Canadä

84 02 14 126

September 1983 Ottawa



## MOISTURE IN ARCTIC SLEEPING BAGS

by

R.J. Osczevski
Environmental Protection Section
Protective Sciences Division



# DEFENCE RESEARCH ESTABLISHMENT OTTAWA TECHNICAL NOTE 82-34

DISTRIBUTION STATEMENT A

Approved for public release Distribution Unlimited

PCN 14B September 1983 Ottawa

#### **ABSTRACT**

The daily accumulation of moisture in Arctic sleeping bags used during a cold weather exercise is reported. Insensible evaporative cooling is estimated. The possible benefit of a vapour barrier is discussed.

### RÉSUMÉ

Le présent rapport porte sur la quantité d'humidité qui s'accumule chaque jour dans des sacs de couchage pour l'Arctique utilisés pendant un exercice mené par temps froid. On évalue l'importance du refroidissement par évaporation et on étudie les avantages qu'il y aurait à utiliser un matériel imperméable à l'humidité.

Acces	sion For	
NTIS	GRA&I	
DTIC	TAB	בו
Unann	ounced	
Justi	fication_	
Dieta	4 h 4 a /	
	1 D11 L 1 DD1	
	ibution/	Codes
	lability	
Avai	lability Avail and	/or
	lability	/or
Avai	lability Avail and	/or
Avai	lability Avail and	/or

(iii)

#### INTRODUCTION

Exercise Gatineau, a cold weather familiarization exercise, took place at Taylor Lake, in Gatineau Park, in January of 1974. Participants were members of the Environmental Protection Section supported by the DREO Test Team. During the exercise, a daily record of the masses of the sleeping bags used by the participants was kept.

#### **METHOD**

The subjects slept in unheated five-man tents, in sleeping bags on air mattresses. A 7 cm thickness of synthetic, fibrous packing material, commonly known as "horse-hair" was used between the bag and the air mattress. Three of the eight bags were the standard down-and-feather insulated two-layer bag with a short zipper (NSN 8465-21-842-6078 and -6079). The other five were the older style of bag (also double) which was 0.5 kg lighter, and which had no zipper. The bags had similar cotton flannel liners. The standard sleeping hood (NSN 8465-21-842-6081) was worn but not included in the mass measurements.

No artificial preconditioning of the bags was attempted prior to deployment. As soon as the occupants had arisen in the morning, the bags were packed into their carrying bags, and weighed a short time later. During the day, the packed bags were used with the air mattresses to make benches in the tents.

STAND STANDS AND SELECTION OF THE PROPERTY STANDS OF THE SELECTION OF THE

#### RESULTS

Table I lists the mass of each bag initially and after each use. The mass includes the mass of the inner and outer bags, the flannel liner and the carrying bag.

The changes in mass are tabulated in Table II. The bags gained an average of  $170 \pm 30$  g on the first night, and  $40 \pm 15$  g on succeeding nights.

#### DISCUSSION

The pattern of weight gain is similar to that reported by Eliot and Winik (1), as shown in Figure 1. There is a high initial weight gain followed by a slower increase. It is possible that the initial gain in the present study may have been due to the high temperature experienced on the first night when the subjects may have been actively sweating. The common shape of the curves in Figure 1 suggests however, that this is a feature of sleeping bag use, possibly due to the change in regain of the down-and-feather insulation. In the earlier study (1) the sleeping bags were initially dry, and the initial high gain lasted for two nights.

Initially, the sleeping bags can pick up moisture from two possible sources, the body and the atmosphere. The contribution of these two sources to the initial gain is probably about equal, making the evaporation rate from the body of the order 100 g/night.

After the filling material comes to moisture equilibrium, its hygroscopic nature becomes unimportant, if conditions remain relatively constant. The weight gain is then 40 to 50 g per night. Evaporation still amounts to about 100 g per night, but only half condenses in the bag, on average, about two-thirds of the way through.

The effectiveness of the evaporation at removing heat from the body is reduced as condensation gives up the heat of vaporization in the filling. In this case the effectiveness is reduced to about 80% (see Appendix I). The cooling caused by the evaporation of 100 g per night

TABLE I

Mass of Sleeping Bags (grams)

Day	A	В	С	D	E	F	G	Н
0	5359	5252	5414	4875	4912	4836	4852	4961
1	5500	5479	5593	4983	5088	5024	4997	5149
2	5570	5552	5613	5015	5125	5102	5051	5171
3	5616	5553	5643	5030	5139	5172	5089	5198
4	5679	5621	5684	5059	5165	5212	5129	5208

TABLE II
Changes in Mass of Sleeping Bags (grams)

Day	A	В	С	D	E	F	G	н	Mean	Outside Temp (°C)
1	141	227	179	108	176	188	144	188	169	- 7
2	70	73	20	32	37	78	54	22	48	-18
3	46	1	30	14	14	70	38	27	30	-26
4	63	68	41	29	26	40	40	10	40	-29




Figure 1: Moisture retention of sleeping bags used in the cold.
The upper curve is from reference 1. The data of the present study are represented by the lower curve.

(8 hours) is, from equation 1, 7 watts. This is a rough estimate. The intent is to assess the magnitude of evaporative cooling.

$$E = aHr$$
 [1]

where E is the evaporative cooling,

a is the effectiveness of the evaporation,

r is the rate of evaporation,

H is the heat of vaporization, 2.5 kJ/g.

A significant effect of the presence of water in the insulation, particularly of down, will probably be the effect of packing and compressing a damp bag for 16 h per day in its carrying bag. This is likely to reduce the thickness of the bag (the loft) when it is next used for sleeping.

After a week the volume of accumulated water will be about one quarter of the fibre volume. As the ratio of the conductivity of water to fibre is about four, the conduction of heat by water and fibre will be about equal at 3% of the total heat flow, or 3 watts. This increase may be offset by decreased radiative heat flow as the batting will be less transparent.

The evaporative heat loss may be somewhat greater than that estimated from mass changes. Over the period during which the bag is packed possibly in a heated tent or vehicle, the moisture will tend to diffuse from the wetter outer regions back to the relatively drier inner regions. On the next use, this water re-evaporates and recondenses or escapes, further increasing the heat-loss. Further work would be required to quantify this effect.

A change in body heat content of  $-300~\rm kJ$  will awaken the average sleeper (2). If the heat loss rate exceeds the heat production rate by an amount H, the time, t, in seconds, to produce a change of  $300~\rm kJ$ , D, is given by equation 2

$$t = D/H$$
 [2]

If evaporative heat loss is excluded by a vapour barrier and the environmental conditions are such that H is 10.5 watts, the duration of sleep will be 8 hours. Without the vapor barrier, assuming the skin temperature and air temperature are the same, and that the filling is at moisture equilibrium, the additional heat loss of 7 watts caused by evaporative cooling reduces the period of sleep to 4.8 hours. Siple (2) noted differences in the duration of comfortable sleep of this magnitude when bags were tested after being conditioned to a high relative humidity, as compared to when conditioned to a low relative humidity. In the former instance, the filling would be already at a high regain, and evaporation would be more effective at body cooling.

The same effect should occur after the first one or two nights. This might be of importance when physiological measurements are made of the

protective value of sleeping bags in controlled environmental conditions. Unless the bags are used several nights without drying, or are preconditioned to high relative humidity, the test will not relate to general field experience.

Recently, extravagent claims have been made for the benefits of vapour barriers in sleeping bags. The claim is based on unspecified tests which show that about 1.8 kg of water is lost by a sleeper in a normal sleeping bag during the night, and that 900 grams condense in the bag each night (3). The subjects of these tests must have been actively sweating. It is obvious that a vapour barrier is most effective when the user is sweating and has considerable potential for evaporative heat loss. It is also obvious that if the user is sweating, he does not need a vapour barrier to help him keep warm. If the user is not sweating, and is cooling, the direct benefit of a vapour barrier would be a saving of about 7 watts or 8% of the sleeping heat production. As has been shown, when the total heat loss does not greatly exceed the heat production, small changes in the total heat loss may have a significant effect on the duration of restful sleep. From a thermal stand point, a vapour barrier appears to have some merit when used in a sleeping bag.

The vapour barrier is not a new idea. Its merit was discussed by Kephart in 1917:

"Innumerable expedients have been tried to keep down bulk by using impermeable insulators, such as paper, oiled cotton or silk, and rubber or rubberized fabric, but all such "skins to keep heat in" are total failures. The vapour from one's body must have an outlet or a man will chill, to say nothing of other unpleasant consequences." (4).

Probably these vapour barriers were used on the outside of the bag rather than as a liner, so that water condensed in the insulation resulting in a "chill".

Non-thermal "unpleasant consequences" may militate against the use of vapour barriers.

#### **REFERENCES**

- 1. Eliot, Capt. J.W., L.J. Winik, Office of the Quartermaster General, Climate Research Laboratory, Environmental Protection Section Special Report #31, 1950.
- 2. Siple, P., in "Clothing Test Methods", eds. Newburgh, L. and Harris, H., N.R.C. CAM 390, Washington, D.C., 1945.
- 3. Stephenson, J., Summit, Jan-Feb 1982, p. 8.
- Kephart, H., "Camping and Woodcraft", The MacMillan Company, New York, 1917.

#### APPENDIX I

#### EFFECTIVENESS OF EVAPORATIVE COOLING

The effectiveness was estimated by making the approximation that the condensation all occurred two-thirds of the way throug the bag, which is about the average distance from reference 1. The total pat flow from skin,  $Q_{\rm S}$ , is

$$Q_{s} = \frac{T_{s} - T_{c}}{\frac{2}{3} R} + HM$$
 [1A]

where Ts is the skin temperature,

Tc is the temperature at the point where condensation is occurring,

H is the heat of vaporization of water,

M is the evaporation rate from the skin,

R is the total thermal resistance.

The heat flow out to the environment (at a temperature  $T_{\rm A}$ ) is

$$Q_{O} = \frac{T_{C} - T_{A}}{\frac{1}{3} R} + \frac{HM}{2}$$
 [2A]

The first term in each equation is the sensible heat flow, the second term is the evaporative heat flow. At steady state  $Q_{\rm S}$  and  $Q_{\rm O}$  are equal. Equating 1A and 2A and solving for  $T_{\rm C}$  yields 3A

$$T_c = \frac{T_s}{3} + \frac{2T_A}{3} + \frac{HMR}{9}$$
 [3A]

Substituting 3A into equation 1A yields the total heat flow

$$Q_{T} = \frac{T_{S} - T_{A}}{R} + \frac{5}{6} \text{ HM}$$
 [4A]

The first term is, effectively the sensible heat flow. The evaporative heat flow, the second term, is reduced by one sixth so that the effectiveness is approximately 80%.

### UNCLASSIFIED Security Classification

		ne overall document is classified)		
	2a. DOCUME	NT SECURITY CLASSIFICATION NCLASSIFIED		
	<u> </u>			
7a. TOTAL NO. OF PAGES 7b. NO. OF REFS				
9a. ORIGINATOR'S DOCUMENT NUMBER(S)  DREO TN 82-34				
9b. OTHER DOCUMENT NO.(S) (Any other numbers that n assigned this document)				
12. SPONSORING ACTIVITY				
Insensible	evaporati	ve cooling is		
	7a. TOTAL NO 10 9a. ORIGINAT DREO TO assigned the 12. SPONSOR	7a. TOTAL NO. OF PAGES 10 9a. ORIGINATOR'S DOCUMEN DREO TN 82-34  9b. OTHER DOCUMENT NO.( assigned this document)		

Security Classification

#### KEY WORDS

ARCTIC CLOTHING

SLEEPING BAGS

MOISTURE

COLD WEATHER TESTS

PROTECTIVE CLOTHING

THERMAL INSULATION

VAPOUR BARRIER

WATER VAPOUR

#### INSTRUCTIONS

- ORIGINATING ACTIVITY: Enter the name and address of the organization issuing the document.
- 2a. DOCUMENT SECURITY CLASSIFICATION: Enter the overall security classification of the document including special warning terms whenever applicable.
- GROUP: Enter security reclassification group number. The three groups are defined in Appendix 'M' of the DRB Security Regulations.
- DOCUMENT TITLE: Enter the complete document title in all capital letters. Titles in all cases should be unclassified. If a sufficiently descriptive title cannot be selected without classification, show title classification with the usual one-capital-letter abbreviation in parentheses immediately following the title.
- 4. DESCRIPTIVE NOTES: Enter the category of document, e.g. technical report, technical note or technical letter. If appropriate, enter the type of document, e.g. interim, progress, summary, annual or final. Give the inclusive dates when a specific reporting period is covered.
- AUTHOR(S): Enter the name(s) of author(s) as shown on or in the document. Enter last name, first name, middle initial.
   If military, show rank. The name of the principal author is an absolute minimum requirement.
- DOCUMENT DATE: Enter the date (month, year) of Establishment approval for publication of the document.
- TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.
- 7b. NUMBER OF REFERENCES: Enter the total number of references cited in the document.
- PROJECT OR GRA : NUMBER: If appropriate, enter the applicable research and development project or grant number under which the document was written.
- 8b. CONTRACT NUMBER: If appropriate, enter the applicable number under which the document was written.
- 9a. ORIGINATOR'S DOCUMENT NUMBER(S): Enter the official document number by which the document will be identified and controlled by the originating activity. This number must be unique to this document.

- 9b. OTHER DOCUMENT NUMBER(S): If the document has been assigned any other document numbers (either by the originator or by the sponsor), also enter this number(s).
- 10. DISTRIBUTION STATEMENT: Enter any limitations on further dissemination of the document, other than those imposed by security classification, using standard statements such as:
  - (1) "Qualified requesters may obtain copies of this document from their defence documentation center."
  - (2) "Announcement and dissemination of this document is not authorized without prior approval from originating activity."
- 11. SUPPLEMENTARY NOTES: Use for additional explanatory notes.
- SPONSORING ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring the research and development. Include address.
- 13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document, even though it may also appear elsewhere in the body of the document itself. It is highly desirable that the abstract of classified documents be unclassified. Each paragraph of the abstract shall end with an indication of the security classification of the information in the paragraph (unless the document itself is unclassified) represented as (TS), (S), (C), (R), or (U).

The length of the abstract should be limited to 20 single-spaced standard typewritten lines; 7% inches long.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a document and could be helpful in cataloging the document. Key words should be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context.

FILMED
3-84

DTIC